

PEARL 5

Handheld
Pulse Oximeter with
TFT Screen

SpO₂
Pulse



Features

- Reliable measurement of SpO₂ and pulse rate
- High quality and brilliant contrast TFT screen
- Can be used on adults, children and neonates
- Trend and plethysmogram display on TFT screen
- Displays pulse bar and perfusion index
- Saturation dependent pulse tone with adjustable volume
- Infrared interface for thermal printer
- Housing made of antimicrobially treated plastic

PEARL 5

Digital Handheld Pulse Oximeter



The PEARL5 Pulse Oximeter with its new digital signal processing technology works reliably and can be used from infant to adult.

It features a bright, crisp TFT display which is easily readable.

The standard display can be set to three different modes: Large numerical, numerical-waveform and numerical-trend.

The housing is made of a compound of high quality plastic and an additive based on silver ion technology, which reduces bacteria growth on the device's surface.

Applications

- Sleep apnea screening
- Homecare
- Spot checks



Medlab medizinische Diagnosegeräte GmbH, Germany
Helmholtzstrasse 1, 76297 Stutensee near Karlsruhe
Tel. +49 (0) 7244 74110-0, FAX +49 (0) 7244 74110-28
sales@medlab.eu, www.medlab.eu

medlab
medizinische Diagnosegeräte GmbH

Technical Data

Pulse Oximeter:

SpO₂:

Measuring range: 0 ... 100 % SpO₂
Averaging SpO₂: strong, normal or low
Display range: 0 ... 99 % SpO₂
Accuracy: No artefacts, normal perfusion
+/- 2 % (70-100 %)
Movement artefacts
+/- 3 % (70-100 %)
Low perfusion
+/- 3 % (70-100 %)
(not specified below 70 %)

Pulse rate:

Measuring range: 30 ... 250 min⁻¹
Accuracy: +/- 3 min⁻¹

Device:

Dimensions: 122 x 65 x 22 mm
Weight: approx. 140 g
Operating temp.: -20 ... 45 °C
Storage temp.: -25 ... 65 °C
Power supply: two AA batteries (IEC LR06)
Battery life: approx. 22 h (at 60 % TFT brightness)
Power consumption: 350 mW with full backlight
Display: 62 mm TFT screen
Brightness: 20 ... 100 %, „Auto“ mode available
Memory: 55 h internally
Memory resolution: One data sample pair every 6 sec.
Interface: IR printer interface

Accessories:

00201	Carrying pouch
00110	Thermal printer with IR interface
00139	Fixation for infusion pole
00141	Fixation for anesthesia rail
00310	Probe extension cable (120 cm)
00148	Rubber protection boot with stand

All Medlab PEARL SpO₂ probes
(see separate brochure)

Delivery:

Pulse oximeter PEARL5 (02500)
Two AA batteries
Fingerclip probe P-200, reusable
Operating instructions